

INFO '79

THE JOURNAL OF MICROWAVE POWER

Published Quarterly since 1966

Editor: Dr. S. S. Stuchly (Ottawa, Canada)

**AN INTERNATIONAL JOURNAL OF INDUSTRIAL
SCIENTIFIC MEDICAL AND DOMESTIC APPLICATIONS
FOR MICROWAVE POWER**

MICROWAVE POWER GENERATION

*System Design
Microwave Tubes
Solid-State Devices
Economics Studies*

MICROWAVE BIOEFFECTS & MEDICAL APPLICATIONS

*Interference, Hazards
Diathermy
Measurement Techniques
Dosimetry*

MICROWAVE HEATING SYSTEMS

*Food
Forest Products
Chemicals
Rubber, Plastics*

PROPERTIES OF MATERIALS

*Dielectric Properties
of
Natural and Industrial
Materials*


MICROWAVE INSTRUMENTATION

*Moisture
Thickness
Dielectric
Measurements*

MICROWAVE OVENS

*Design
Performance Standards
Food Packaging & Utensils
Instrumentation*

A publication of:



**INTERNATIONAL
MICROWAVE
POWER
INSTITUTE**

EDMONTON, CANADA

Box 634, Sub 11,
University of Alberta,
Edmonton, Alberta,
Canada T6G 2E0 Telephone (403) 433-6045
Telex - 037 - 2979 IMPI

**The Journal of Microwave Power
is an official publication of the
INTERNATIONAL MICROWAVE POWER INSTITUTE***



In 1979 the Journal of Microwave Power will continue the policy, developed over the last thirteen years, of publishing papers on original research and development together with reviews of major topics. Papers cover the subjects of domestic, industrial, scientific and medical applications of electromagnetic waves in the frequency range 10 MHz to 300 GHz.

Some recent Journal of Microwave Power papers are:

- *Rapid Microwave Fixation of Rat Brain*—T. Moroji et al. [Vol. 12, No. 4 (1977) pages 273-286 (with 41 references)].
- *A Durable Microwave Oven Door*—A. M. Bucksbaum [Vol. 12, No. 4 (1977) pages 293-299 (with 3 references)].
- *Trends in Nonionizing Electromagnetic Radiation Bioeffects Research and Related Occupational Health Aspects*—C. H. Dodge and Z. R. Glaser [Vol. 12, No. 4 (1977) pages 319-334 (with 25 references)].
- *Potentially Hazardous Microwave Radiation Sources—A Review*—M. A. Stuchly [Vol. 12, No. 4 (1977) pages 369-381 (with 38 references)].
- *An Industrial Microwave Attenuation Monitor (MAM) and its Application for Continuous Moisture Content Measurements*—J. Kalinski [Vol. 13, No. 3 (1978) pages 275-281 (with 5 references)].
- *Microwave Power Applications in Japan* (Invited Paper)—Y. Kase and K. Ogura [Vol. 13, No. 2 (1978) pages 115-123 (with 14 references)].
- *Frequency and Moisture Dependence of the Dielectric Properties of High-Moisture Corn*—S. O. Nelson [Vol. 13, No. 2 (1978) pages 213-218 (with 11 references)].
- *A System for Studying Effects of Microwaves on Cells in Culture*—K. C. Chen and C. J. Lin [Vol. 13, No. 3 (1978) pages 250-256 (with 14 references)].
- *Microwave Drying of Micro-organisms. II. The Use of Microwave Oven for the Determination of Moisture Content of Pressed Yeast*—G. F. Leonhardt et al. [Vol. 13, No. 3 (1978) pages 235-237 (with 7 references)].
- *Acute Microwave Irradiation and Cataract Formation in Rabbits and Monkeys*—P. Kramar et al. [Vol. 13, No. 3 (1978) pages 239-249 (with 13 references)].

The Journal of Microwave Power, a quarterly publication, contains between eight and fourteen papers per issue with a cumulative index published each year. Members of IMPI receive the Journal for \$25 per year. Library subscriptions are available at \$55 per year and can be ordered through major subscription agents. Information on the Microwave Energy Applications Newsletter, the Transactions of IMPI and availability of back issues of the Journal of Microwave Power can also be obtained by writing to:

IMPI, Box 634, SUB 11
University of Alberta
Edmonton, Alberta
Canada T6G 2E0

or

IMPI-London
89 Northwood Avenue
Purley, Surrey CR2 2ES
UNITED KINGDOM

* The International Microwave Power Institute, A Canadian Non-Profit Charter Organization, is managed by a Board of Governors and an Executive Directorate. The Institute was founded in 1966, and subsequently granted Letters Patent by the Secretary of State for Canada, by application of Alan E. Supplee, Donald A. Dunn, James A. Jolly, John E. Gerling, William C. Brown and W. A. G. Voss, who formed the first Board of Governors. Election of Governors and Officers and their terms of reference are as stated in the By-Laws, available upon request. The annual general meeting of the Institute is held at the time of the annual international symposium. The officers of the Institute acknowledge, with gratitude, the invaluable assistance of a large community of referees and various patrons, in particular the National Research Council of Canada, the University of Alberta and the University of Ottawa.

THE JOURNAL OF MICROWAVE POWER

A Publication of THE INTERNATIONAL MICROWAVE POWER INSTITUTE

President: R. F. SCHIFFMANN, *Executive Director:* W. R. TINGA,

Head Office Address: IMPI, Box 634, SUB 11, University of Alberta, Edmonton, Canada T6G 2E0.

Europe: IMPI-London, 89 Northwood Avenue, Purley, Surrey CR2 2ES, England.

Editor: S. S. STUCHLY, Department of Electrical Engineering, University of Ottawa, 770 King Edward Str., Ottawa, Ontario, Canada K1N 6N5. Telephone office (613) 231-3472, residence (613) 235-1755

Associate Editors:

P BHARTIA, Defence Research Establishment, Defence Electronics Division, Shirley's Bay, Ottawa, Ontario, Canada K1A 0Z4.

M. M. BRADY, Hybra Eugenies Gate 17, Oslo 1, Norway.

D. R. JUSTESEN, Director, Neuropsy., Labs., USVA Hospital, 4801 Linwood Blvd., Kansas City, MO 64128, U.S.A.

Editorial Board:

Medical Applications and Biological Effects

P. CZERSKI, Associate Professor of Genetics and Head, Department of Genetics, National Research Institute of Mother and Child, 01-211 Warszawa, Kasprzaka 17 a, Poland.

A. W. GUY, Professor and Director Bioelectromagnetics Research Laboratory, Department of Rehabilitation Medicine RJ-30, University of Washington School of Medicine, Seattle, WA 98195, U.S.A.

S. MICHAELSON, Professor Radiation Biology & Biophysics, University of Rochester, School of Medicine, Rochester, NY 14642, U.S.A.

J. M. OSEPCHUK, Raytheon Research Division, 28 Seyon St., Waltham, MA 02154, U.S.A.

S. W. ROSENTHAL, Professor, Polytechnic Institute of New York, Route 110, Farmingdale, NY 11735, U.S.A.

C. ROMERO-SIERRA, Professor, Department of Anatomy, Queen's University, Kingston, Ontario, Canada K7L 3N6.

M. A. STUCHLY, Radiation Protection Bureau, Department of Health & Welfare, Ottawa, Ontario, Canada K1A 0L2.

W. A. G. VOSS, Surgical Medical Research Institute, Dental-Pharmacy Bldg., University of Alberta, Edmonton, Alberta, Canada T6G2E1.

Scientific Applications

H. BARBER, Department Electronic & Electrical Engineering, University of Technology, Loughborough, Leicestershire, LE11 3TU, England.

S. O. NELSON, Richard B. Russell Agricultural Research Center, Agricultural Research Service, U.S. Department of Agriculture, Box 5677, Athens, GA 30604, U.S.A.

A. KRASZEWSKI, Wilmer Div. Institute of Physics, Polish Academy of Sciences, 00-108 Warszawa, Zielna 37, Poland.

J. G. KRETZSCHMAR, Nuclear Energy Center SCK CEN, 200 Boeretang B-2400 Mol, Belgium.

J. T. SENISE, Professor, Department of Electrical Engineering, Escola de Engenharia Maua, 09500 Sao Caetano, Sao Paulo, Brasil.

R. B. SMITH, Postgraduate School of Electrical & Electronic Eng., The University of Bradford, Bradford, West Yorkshire, BD7 1DP, England.

W. R. TINGA, Department Electrical Engineering, University of Alberta, Edmonton, Alberta, Canada T6G 2G7.

Industrial Applications

W. C. BROWN, Raytheon Company, New Products Center, Building 12, Foundry Avenue, Waltham, MA 02145, U.S.A.

M. A. K. HAMID, Professor, Department of Electrical Engineering, University of Manitoba, Winnipeg, Manitoba, Canada R3T 2N2.

J. A. JOLLY, Professor, School of Business and Public Administration, California State University, Sacramento CA 95819, U.S.A.

E. C. OKRESS, The Plaza, 6H, The Benjamin Franklin Parkway at 18th Street, Philadelphia, PA 19103, U.S.A.

H. PUSCHNER, Pushner GMBH & Co., Kommanditgesellschaft, Breshauer Strasse 1, D-2822 Schwanewede bei Bremen, West Germany.

R. F. SCHIFFMANN, R. F. Schiffmann Associates, 149 West 88th Street, New York, N.Y. 10024, U.S.A.

J. S. WIGHT, Department of Electronics, Carleton University, Ottawa, Ontario, Canada K1S 5B5.

Domestic Applications

R. V. DECAREAU, P.O. Box 241, Amherst, NH 03031, U.S.A.

M. VAISEY-GENSER, Professor, Department of Foods & Nutrition, The University of Manitoba, Winnipeg, Manitoba, Canada R3T 2N2.

PUBLICATION POLICY—The Journal of Microwave Power

Articles Submitted must comply with the procedure outlined for rapid review and publication. Whereas no author will ever be penalized on publication preference for inability to comply with any of the procedures, it is anticipated that exceptions will be few.

Copy: Typewritten original plus two carbon or Xerox copies (for review) on white bond, 8½" × 11" or 10½", double spaced. When correcting copy, authors are requested to use standard notations (The Author's Handbook and 'Preparing a Technical Manuscript', McGraw Hill Book Co., 1955).

Referees: Authors may, if they wish, propose the names (giving full address) of two suitable reviewers. Either or both of the reviewers named may be consulted. Normally authors and the Editors will have the benefit of the opinions of the reviewers, but the names of the actual reviewers are never disclosed to anyone.

Style: No style Manual is accepted *in toto*. The style of the Canadian Journal of Physics and Forest Science (two examples) is preferred. Tables, figures, etc., should conform to the Style Manual of Biological Journals (American Institute of Biological Sciences, Second Edition, 1964). Abbreviations should conform to those given in the Word List of Scientific Periodicals, 1964 Edition. Symbols where possible, should comply with the I.E.E.E. recommended usage.

Abstracts must be concise, not more than 150 words.

Units SI (others in brackets afterwards if necessary). See: The Metric Guide, Canada Council of Ministers of Education, ISBN0-7744-0127-3.

Tables must be numbered in sequence, typewritten on a separate sheet, with a title.

Data: Tabulated raw data is preferred; graphs should either be used to illustrate effects, or should have prints labelled with actual numerical values. A combination of table (separate or inlaid) and graph is preferred, with either the standard deviation or the standard error shown. Papers presenting new significant experimental data will have preference in review and, if accepted, preference in publication space.

Methods must be given in such a way that the reader could repeat the experiment reported by the author. Attention to detail in this respect is demanded of papers in the area of microwave biology.

Illustrations and Figures: All drawings must be made on 8½" × 11" *tracing paper*, film or cloth. Lettering and lines are to be made with black India ink. Lettering must be of letterguide quality and with a minimum height of 4 mm. Both lettering and drawing should consist of lines of 0.4 mm minimum thickness. Graphs should show as few reference or grid lines as possible. Blueprints, photostats, pencil drawings, or mimeographed copies are not suitable. Deviation from any of the above requirements will result in a service charge. A print of any form may be used for the second and third copies.

Photographs should be high quality 8" × 10" black and white glossy prints with strong contrasts. Photographs with the original should be mounted on sturdy 8½" × 11" card and should not be rolled, bent or fastened by paper clips. The author's name must appear in faint pencil on the back of the mounted photographs.

Captions: All photographs and illustrations must be *identified* and the relevant legends listed on a separate sheet.

Literature Cited: In the text 'Jones *et al.* (1964)' and under Literature Cited (after Acknowledgements, if any) Jones, K. O. and Burgess, P. Title of Journal, Volume No., Pages, 1964, is preferred. However, the author may use the alternative styles if he wishes.

Review Papers are generally invited by the editors. If a writer wishes to submit a review paper to the Journal, he should write to the editor first.

Reprints (with covers) must be ordered at the time of publication to obtain the minimum price. Forms are sent out ahead of time.

Page Charges and Reprints: A voluntary page charge of twenty-five dollars (\$25) per printed page is imposed on all articles accepted for publication in the Journal of Microwave Power. This voluntary page charge applies only to papers and brief communications and does not apply to letters.

Reprints of published articles will be furnished to authors only if specifically requested by authors in advance of printing. Fifty reprints with covers will be supplied without charge to authors who honor the voluntary page charge. Charges for requested reprints will be supplied to authors before publication at the prevailing rate. At present the rate is approximately \$0.75 per copy of an average article with a minimum charge of \$75.00.

Address all manuscripts to: Dr. S. S. Stuchly, Editor, The Journal of Microwave Power, Department of Electrical Engineering, University of Ottawa, 770 King Edward Street, Ottawa, Ontario, Canada K1N 6N5.